


29926/38065 Apparatus and Method for Controlling Best-Refresh Suh, Jung-Won (fig. 1)



Docket No.: Title: entor: at 2 of 3 29926/38065 Apparatus and Method for Controlling Bank Befresh Suh, Jung-Won (fig. 2)



29926/38065 Apparatus and Method for Controlling Bank Refr Suh, Jung-Won (fig. 3)



	<u> </u>	AN SO	BANK COMBINATION CASE 1	ATION	8	NK QQ	CASE 2	BANK COMBINATION CASE 2	<i>1</i> 8	NK C	CASE 3	BANK COMBINATION CASE 3
REFRESH COMMAND SIGNAL	BA2	BA 1	BA0	REFRESH -ING BANK	BA2	BA1	BA0	REFRESH -ING BANK	BA2	BA1	BA0	REFRESH -ING BANK
AUTOMATIC REFRESH	00	00		0, 1	96		ွ	0, 2	×	0	ွု	0, 4
AUTOMATIC REFRESH	٥٥	۔اہ	٥×	2, 3	00	٥×	ا ه	1,3	٥×	0	_ا	1, 5
AUTOMATIC REFRESH	ےاہ ا	00	٥×	4, 5	ے ہ	° ×	ွ	4, 6	°×	اه	ွု	2, 6
AUTOMATIC REFRESH	_اه	۔ ا	٥×	6, 7	ا ه	٦×	_اه	5, 7	° ×	-اه	۔ ا	3, 7